



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/825,694	04/16/2004	John Harper	P3353US1 (119-0041US)	9161
61947	7590	09/02/2010		
WONG, CABELLO, LUTSCH, RUTHERFORD & BRUCCULERI LLP 20333 Tomball Parkway SUITE 600 HOUSTON, TX 77070			EXAMINER GUERTIN, AARON M	
			ART UNIT 2629	PAPER NUMBER
			NOTIFICATION DATE 09/02/2010	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

WCPATENTS@COUNSELIP.COM
kgonzalez@counselip.com
cmiles@counselip.com

Office Action Summary	Application No. 10/825,694	Applicant(s) HARPER ET AL.	
	Examiner AARON M. GUERTIN	Art Unit 2629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 January 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 8-42 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 8-42 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 16 June 2008 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>3/1/2010</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

- Claims 8-42 are presented for examination.
- Claims 40-42 are newly added.

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/27/2010 has been entered.

Information Disclosure Statement

2. The information disclosure statement (IDS) submitted on 3/01/2010 is being considered by the examiner.

HOWEVER: Applicant must provide dates for ALL NPL (e.g. NPL submission #14 Elliot; "Programming Graphics Processors Functionality") before the instant application is allowed.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 8-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Publication No.: US 2003/0011637 A1 (Boudier), in view of U.S. Publication No.: US 2002/0109682 (Nash) in further view of U.S. Publication No.: US 2005/0041031 A1 (Diard).

3. Regarding claim 8, Boudier teaches of a method of creating an image graph ([0092] - *In this optimization, the textures used in a scene can be saved in the scene graph file itself, instead of an external image file. It may be desirable to scale down the size of all the textures of a given scene graph file, so that there is no need (or a reduced need) to page textures. The resizing of the image can be done based on the size of the texel...*), said image graph comprising one or more nodes ([Fig. 9, (910, 920, 950)]), inputs to those nodes, and outputs from those nodes (each node of Fig. 9 (900) is linked; also see [0054]-[0058]), the method comprising the steps of: the method comprising the steps of: **optimizing said image graph by running software on a CPU; compiling said image graph by running software on said CPU;** (processor 504 is regarded as the CPU; the compiling is the optimization of the graph by executing the program(s) [0007] - *The method of the invention includes the steps of receiving an*

*input scene graph, creating the optimization process, applying the optimization process to the input scene graph, and post-optimization processing... [0032] - The set of available atomic optimizations is contained in an optimization base 425. A list of the available atomic optimizations is maintained in an optimization registry 430, along with information pertinent to the execution of the specific atomic optimizations. This information can include, for example, the parameters required by an atomic optimization, and any priority information that defines the sequence in which specific atomic optimizations can or should be applied... [0037] - Referring again to FIG. 3, optimizer 330 may be implemented using hardware, software or a combination thereof. In particular, optimizer 330 may be implemented using an object-oriented approach, and execute on a computer system or other processing system. An example of such a computer system 500 is shown in FIG. 5. The computer system 500 includes one or more processors, such as processor 504...); and **rendering said image graph by running said compiled image graph** ([0029] - The system of the invention optimizes an input scene graph to produce an optimized scene graph which can then be rendered. The context in which the optimizer functions is illustrated in FIG. 3. A modeler 310a creates a scene graph 315a and passes it to a common export library 320...).*

Boudier teaches the limitations of claim 8 above; however Boudier fails to specifically teach of **wherein the node(s) are program(s) and wherein executing the scene graph yielding a rendered image.**

Nash is analogous art that further teaches of **wherein the node(s) are program(s)** ([Fig. 3] and [0054]; furthermore [Fig. 6] shows phase modules (nodes) of

processing and each node comprises a specific program code to conduct the function within said node in a sequence) **and wherein executing the modules yields a rendered image** ([0060], [0061] and [0062] - *The phase modules, containing microinstructions for a phase or sub-phase, are stored in phase code depository 122... The phase modules (excluding the output phase module) are interchangeable and capable of being synthesized in any order to implement a desired mode... Typically in computer graphics, the user supplies function calls to set the vertices, normals, primitives, textual coordinates, other operations, or the like to render an image...*).

All the elements of claim 8 are known in Boudier in view of Nash, the only difference is the combination of known elements into a single system and method.

Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to include wherein the nodes of Boudier are modules indicating a function that needs to be processed and wherein the execution of the modules renders an image in Boudier, as doing so would provide the means for effectively optimizing the calculations of the attributes to a specific image instead of only optimizing the steps of applying the attributes, reducing overall system calculations and increases system efficiency and bandwidth.

Boudier and Nash teach the limitations of claim 8 above; however, Boudier and Nash fail to specifically teach of wherein the **programs can be run on a GPU** (GPU programs) and therefore the compilation is conducted **on a GPU**.

Diard is analogous art that further teaches of wherein the **programs can be run on a GPU** (GPU programs) and therefore the compilation is conducted **on a GPU**

Art Unit: 2629

([0033] - *In operation, a graphics driver program (or other program) executing on CPU 102 delivers rendering commands and associated data for processing by GPUs 114a, 114b... a rendering command may be associated with rendering data, with the rendering command defining a set of rendering operations to be performed by the GPU on the associated rendering data. In some embodiments, the rendering data is stored in the command buffer adjacent to the associated rendering command.*); and **utilizing a CPU and a graphics processing unit** ([0033] as disclosed above).

All the elements of claim 8 are known in Boudier and Nash in view of Diard, the only difference is the combination of known elements into a single system and method.

Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to include implementing the processing the compilation on a GPU wherein a combination of a CPU and GPU are used in Boudier, as doing so would provide the means and advantages of a higher throughput optimized, faster processing capabilities, and more advantageous memory bandwidth.

The combination of Boudier, Nash, and Diard from above, expressly teach **wherein the image graph comprises one or more GPU programs, inputs to the one or more GPU programs and outputs from the one or more GPU programs** (It was expressly taught by Boudier of completing an optimized scene graph wherein the graph was comprised of programs taught by Nash, Wherein the programs would be further executed within the hierarchy of programs in Boudiers scene graph to create an image which teaches “**representing, in memory, an image by an image graph**”

([0029] - *The system of the invention optimizes an input scene graph to produce an*

optimized scene graph which can then be rendered. The context in which the optimizer functions is illustrated in FIG. 3. A modeler 310a creates a scene graph 315a and passes it to a common export library 320...).

4. Regarding claim 9, Boudier, Nash, and Diard teach the limitations of claim 8 above, the rationale disclosed in the rejection incorporated herein and Boudier further teaches of **wherein the step of optimizing includes the step of using a cache look-up to see if said rendered image is already in cache** ([0094] - *When creating attributes in a scene graph, it is possible to have multiple attributes that represent the same state all sharing the same set of objects. A created texture state object, for example, can be used at multiple points in a scene graph. This optimization makes sure that any two attributes that represent the same state are sharing the same objects. This sharing of objects improves memory usage, and can also improve run time efficiency, since a cache can use a pointer to the object as an identifier.*).

5. Regarding claim 10, Boudier, Nash and Diard teach the limitations of claim 8 above, the rationale disclosed in the rejection incorporated herein and Boudier further teaches **wherein the step of optimizing includes the step of using a cache look-up to see if said image graph has already been optimized and is in a memory** (at step 630 the create optimization process executes and actually begins on step 710 wherein the memory is checked for a former optimized scene graph wherein upon extra parameters may be added if different from the existent optimization; and [Fig. 6] and

[Fig. 7]; [0032] - *The set of available atomic optimizations is contained in an optimization base 425. A list of the available atomic optimizations is maintained in an optimization registry 430, along with information pertinent to the execution of the specific atomic optimizations. This information can include, for example, the parameters required by an atomic optimization, and any priority information that defines the sequence in which specific atomic optimizations can or should be applied. Given the choice of a specific atomic optimization identified in user configuration information 415, optimization manager 410 associates input scene graph 405 with the identified atomic optimization in optimization base 425, via optimization registry 430...* [0046] - *Step 630 above, the creation of an optimization process, is illustrated in greater detail in FIG. 7. This process begins at step 705. In step 710, the optimization manager receives input from a user regarding a specific atomic optimization to be used, along with any parameters that the user elects to specify.*

6. Regarding claim 11, Boudier, Nash and Diard teach the limitations of claim 8 above, the rationale disclosed in the rejection incorporated herein and Boudier further teaches **wherein the step of optimizing includes the step of calculating an intersection, said intersection representing an area where said rendered image is both defined by said image graph and part of a region requested by a process running on said CPU that has requested creation of said image** (NOTE: according to applicants specification [0089] - Core Imaging performs node reduction analysis and eliminates nodes where possible. After unnecessary (or collapsible) nodes are

Art Unit: 2629

optimized, Core Imaging moves to step 7103 where optimization is performed to ultimately limit the size of buffers and image inputs. This step involves intersecting two regions called domain of definition ("DOD") and region of interest ("ROI"). After the ROI/DOD optimization, the graph is ready to compile in step 7104... and [0111] - In developing optimization techniques, the domain of definition ("DOD") is interesting because there is no need to compute or draw pixels outside the DOD. Therefore, in optimizing a graph, there is use in first calculating the DOD of the root node (the very highest node, for example node 415 of FIG. 4).). From the disclosure in the specification and corresponding Fig. 4 and Fig. 7 for support of claim 11, it can be seen that the intersection is where two nodes come together as the optimization performs collapsing wherein each node then becomes a DOD and the result of the two nodes that intersect and come together at another node is a ROI.

Boudier optimizes in several ways encompassing the same method of the applicant. For example, as supported by Boudier in [0053] - [0059] are methods of "collapse geometries" and Collapse hierarchy which as supported by [Fig. 9] and [Fig. 10 and 11] optimizations are performed on DODs forming new DODs (if collapsing to the top of the scene graph then obtaining an ROI). ([Figs. 9-11] and [0054] - *With this optimization, the geometry nodes are gathered and collectively replaced by geometry 980 in the optimized scene graph. In the collapse geometry scene graph optimization, the user can specify a common format for the vertex array of the resulting geometry. This format specification represents a user input for the optimization.*) Furthermore as disclosed and incorporated by claim 8, the method of optimizing within intersections and

Art Unit: 2629

regions is conducted on a processor (CPU).

7. Regarding claim 12, it is similar in scope to claim 8 and is rejected under the same rationale.

8. Regarding claim 13, it is similar in scope to claim 8 and is rejected under the same rationale.

9. Regarding claim 14, Boudier, Nash and Diard teach the limitations of claims 8 and 11 above, the rationale disclosed in the rejection incorporated herein and Boudier further teaches the step of, **using said calculated intersection to limit the number of pixels that require calculation during said rendering** (it is implied that an optimization by combining (collapsing) DODs that the scene graph no longer has to process each of the nodes, furthermore [0055] - *Because the number of nodes is reduced, memory usage is reduced. Also, if all the geometries are to be drawn, drawing time will be reduced because there will be fewer function calls...* and [Figs. 9-11] and [0054] - *With this optimization, the geometry nodes are gathered and collectively replaced by geometry 980 in the optimized scene graph. In the collapse geometry scene graph optimization, the user can specify a common format for the vertex array of the resulting geometry. This format specification represents a user input for the optimization.*); and Diard further teaches as incorporated by claim 1 the rendering **on a GPU**.

Art Unit: 2629

10. Regarding claim 15, it is similar in scope to claim 14 and is rejected under the same rationale.

11. Regarding claim 16, it is similar in scope to claim 14 and is rejected under the same rationale.

12. Regarding claim 17, Boudier, Nash and Diard teach the limitations of claims 8 and 11 above, the rationale disclosed in the rejection incorporated herein and Boudier further teaches the step of, **using said calculated intersection to limit the amount of memory necessary for storing said rendered image** ([0059] - *In general, the collapse hierarchy optimization has the benefit of enhancing the traversal time of a scene graph, and also reduces the memory usage associated with the scene graph by reducing the number of nodes.*).

13. Regarding claim 18, it is similar in scope to claim 17 and is rejected under the same rationale.

14. Regarding claim 19, it is similar in scope to claim 17 and is rejected under the same rationale.

15. Regarding claim 20, Boudier, Nash and Diard teach the limitations of claim 8 above, the rationale disclosed in the rejection incorporated herein and Boudier further teaches the step of wherein said step of optimizing comprises **the additional steps of using a cache to determine if said rendered image is available in memory** ([0094]

as imported, the rationale disclosed in the rejection of claim 9); **using the CPU to perform region of interest (ROI) and domain of definition (DOD) intersections with respect to one or more of said nodes** (Boudier optimizes in several ways encompassing the same method of the applicant. For example, as supported by Boudier in [0053] - [0059] are methods of "collapse geometries" and Collapse hierarchy which as supported by [Fig. 9] and [Fig. 10 and 11] optimizations are performed on DODs forming new DODs (if collapsing to the top of the scene graph then obtaining an ROI). ([Figs. 9-11] and [0054] - *With this optimization, the geometry nodes are gathered and collectively replaced by geometry 980 in the optimized scene graph. In the collapse geometry scene graph optimization, the user can specify a common format for the vertex array of the resulting geometry. This format specification represents a user input for the optimization.*) Furthermore as disclosed and incorporated by claim 8, the method of optimizing within intersections and regions is conducted on a processor (CPU); **using the CPU to determine if nodes may be combined to form a node that has been created by combining two other nodes.** (Boudier by examples of [Fig. 12], [Fig. 13], and [Fig. 14] clearly show wherein the optimization programs (ability to collapse) may be calculated to combine). Nash further teaches that the nodes are programs ([Figs. 3 and 6] and [0060] through [0062]).

Diard further teaches of **using a CPU to determine if said GPU is capable of performing** (by the feedback provided by the polling of the CPU to the GPU the indication that the GPU is capable of performing the task or if the task needs to be partitioned is complete and disclosed in [0050] - *The information in the feedback array*

Art Unit: 2629

can be used by a graphics driver program (or another program executing on CPU 102) for load balancing, as illustrated in FIG. 5. Process 500 is shown as a continuous loop in which the relative load on the GPUs is estimated from time to time by averaging values stored in the feedback array and the load is adjusted based on the estimate...).

16. Regarding claim 21, it is similar in scope to claim 20 and is rejected under the same rationale.

17. Regarding claim 22, it is similar in scope to claim 20 and is rejected under the same rationale.

18. Regarding claim 23, it is similar in scope to the combination of claims 8, 11, 14, 17, and 20 (the rationale disclosed in the rejection incorporated herein). However, claim 23 includes the additional limitations of a method for creating a rendered polygon, **receiving a request to render a polygon; creating a representation of said rendered polygon comprising a root GPU program and its relationship with other GPU programs, their inputs and outputs; calling the following groups of objects for each GPU program that must be run in order that the root GPU program may run to render said polygon; one or more objects for creating a buffer.**

Boudier teaches **receiving a request to render polygon; creating a representation of said rendered polygon comprising a root node and its relationship with other nodes, their inputs and outputs; calling the following groups of objects for each node that must be run in order that the root node may**

Art Unit: 2629

run to render said polygon; one or more objects for creating a buffer (the rendering of Boudier is created by creating a platform to optimize the processing and then executing the platform whereupon an image or objected is rendered, by the nature of rendering graphics is implied that polygons are rendered in order to create the make up of the object or image; [0005] - *The invention described herein is a system, method, and computer program product for optimization of a scene graph. The system of the invention includes an optimization base that contains a set of specific atomic optimizations...* [0006] - *The system also includes an optimization registry that lists each atomic optimization, parameters associated with each optimization, and priority information relating to the necessary order in which optimizations must be performed. The system also includes an optimization manager which creates, configures, and applies an optimization process to an input scene graph. The system further includes an optimization configuration module for accepting user input to the optimization process...* [0007] - *The method of the invention includes the steps of receiving an input scene graph, creating the optimization process, applying the optimization process to the input scene graph, and post-optimization processing. The optimization process can be performed for any of a number of purposes, such as the enhancement of scene graph traversal time, the enhancement of drawing time, the reduction of memory usage, improved efficiency of data manipulation, and the targeting of a specific rendering platform...).*

Nash is analogous art that further teaches of **wherein the node(s) are program(s)** ([Fig. 3] and [0054]; furthermore [Fig. 6] shows phase modules (nodes) of

Art Unit: 2629

processing and each node comprises a specific program code to conduct the function within said node in a sequence) **and wherein executing the modules yields a rendered image** ([0060], [0061] and [0062] - *The phase modules, containing microinstructions for a phase or sub-phase, are stored in phase code depository 122... The phase modules (excluding the output phase module) are interchangeable and capable of being synthesized in any order to implement a desired mode... Typically in computer graphics, the user supplies function calls to set the vertices, normals, primitives, textual coordinates, other operations, or the like to render an image...*).

All the elements of claim 23 are known in Boudier in view of Nash, the only difference is the combination of known elements into a single system and method.

Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to include wherein the nodes of Boudier are modules indicating a function that needs to be processed and wherein the execution of the modules renders an image in Boudier, as doing so would provide the means for effectively optimizing the calculations of the attributes to a specific image instead of only optimizing the steps of applying the attributes, reducing overall system calculations and increases system efficiency and bandwidth.

Boudier and Nash teach the limitations of claim 8 above; however, Boudier and Nash fail to specifically teach of wherein the **programs can be run on a GPU** (GPU programs) and therefore the compilation is conducted **on a GPU**.

Diard is analogous art that further teaches of wherein the **programs can be run on a GPU** (GPU programs) and therefore the compilation is conducted **on a GPU**

Art Unit: 2629

([0033] - In operation, a graphics driver program (or other program) executing on CPU 102 delivers rendering commands and associated data for processing by GPUs 114a, 114b... a rendering command may be associated with rendering data, with the rendering command defining a set of rendering operations to be performed by the GPU on the associated rendering data. In some embodiments, the rendering data is stored in the command buffer adjacent to the associated rendering command.).

All the elements of claim 23 are known in Boudier and Nash in view of Diard, the only difference is the combination of known elements into a single system and method.

Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to include in Boudier the implementation of processing the compilation on a GPU as suggested by Diard, as doing so would provide the means and advantages of a higher throughput optimized, faster processing capabilities, and more advantageous memory bandwidth.

19. Regarding claim 24, the rationale disclosed in claim 23 is incorporated herein.

20. Regarding claim 25, Boudier, Nash, and Diard teach the limitations of claim 23 above, the rationale disclosed in the rejection incorporated herein and Boudier further teaches **wherein said representation of said rendered polygon is a low-level graph** (the low level graph is disclosed by fig. 9 (left side) wherein it has not been collapsed).

Art Unit: 2629

21. Regarding claim 26, Boudier, Nash, and Diard teach the limitations of claim 23 above, the rationale disclosed in the rejection incorporated herein and Boudier further teaches **wherein said representation of said rendered polygon is a high-level graph** (the high level graph is disclosed by fig. 9 (right side) wherein it has been collapsed).

22. Regarding claim 27, the rationale disclosed in the rejection of claim 23 is incorporated herein.

23. Regarding claim 28, the rationale disclosed in the rejection of claim 23 is incorporated herein.

24. Regarding claim 29, the rationale disclosed in the rejection of claim 23 is incorporated herein.

25. Regarding claim 30, the rationale disclosed in the rejection of claim 23 is incorporated herein.

26. Regarding claim 31, it is similar in scope to claims 8 and 23, the rationale applied in the rejections of both claims 1 and 23 is incorporated herein.

27. Regarding claim 32, it is similar in scope to claim 25 and is rejected under the same rationale.

28. Regarding claim 33, it is similar in scope to claim 26 and is rejected under the same rationale.

Art Unit: 2629

29. Regarding claim 34, it is similar in scope to claim 23 and is rejected under the same rationale.

30. Regarding claim 35, it is similar in scope to claim 27 and is rejected under the same rationale.

31. Regarding claim 36, it is similar in scope to claim 28 and is rejected under the same rationale.

32. Regarding claim 37, it is similar in scope to claim 29 and is rejected under the same rationale.

33. Regarding claim 38, it is similar in scope to claim 30 and is rejected under the same rationale.

34. Regarding claim 39, it is similar in scope to claims 8, 23 or 31 (the rationale disclosed in the rejection incorporated herein. However, claim 39 includes the additional limitation of **providing a computer-readable medium with executable instructions**. Boudier further teaches of **providing a computer-readable medium with executable instructions** [0038] - *Computer system 500 also includes a main memory 508, preferably random access memory (RAM), and may also include a secondary memory 510. The secondary memory 510 may include, for example, a hard disk drive 512 and/or a removable storage drive 514, representing a magnetic tape drive, an optical disk drive, etc. The removable storage drive 514 reads from and/or writes to a removable storage unit 518 in a well known manner. Removable storage unit 518 represents a magnetic tape, optical disk, etc. As will be appreciated, the removable*

Art Unit: 2629

storage unit 518 includes a computer usable storage medium having stored therein computer software and/or data.).

35. Regarding claim 40, it is similar in scope to claim 8 (the rationale disclosed in the rejection of claim 8 incorporated herein). Furthermore, claim 40 has the additional limitations of a system which include: **A computer system configured for creating an image, the computer system comprising: a central processing unit (CPU); a graphics processing unit (GPU) communicatively coupled to the CPU; and a memory communicatively coupled to the CPU and/or the GPU having, the memory storing computer executable instructions executable by the CPU and/or the GPU to configure the CPU and GPU.** Boudier teaches of providing a computer-readable medium with executable instructions within a computer system [0038] - *Computer system 500 also includes a main memory 508, preferably random access memory (RAM), and may also include a secondary memory 510. The secondary memory 510 may include, for example, a hard disk drive 512 and/or a removable storage drive 514, representing a magnetic tape drive, an optical disk drive, etc. The removable storage drive 514 reads from and/or writes to a removable storage unit 518 in a well known manner. Removable storage unit 518 represents a magnetic tape, optical disk, etc. As will be appreciated, the removable storage unit 518 includes a computer usable storage medium having stored therein computer software and/or data.).* Nash is analogous art that further teaches of wherein the node(s) are program(s) ([Fig. 3] and [0054]; furthermore [Fig. 6] shows phase modules (nodes) of processing

Art Unit: 2629

and each node comprises a specific program code to conduct the function within said node in a sequence) and wherein executing the modules yields a rendered image ([0060], [0061] and [0062] which show creating an image and Daird was incorporated in to claim 8 to teach the combination of hardware **a central processing unit (CPU)** ([Fig. 1, (102)); **a graphics processing unit (GPU) communicatively coupled to the CPU** ([Fig. 1, (114a-b)); **and a memory communicatively coupled to the CPU and/or the GPU having** ([Fig. 1, (116a)] and see [0028] thru [0030] for explicit architecture)). The combination of Boudier, Nash, and Daird expressly teach the system with components wherein **the memory storing computer executable instructions executable by the CPU and/or the GPU to configure the CPU and GPU** (See all rationale of claim 8, incorporated herein to teach the memory, executable instructions and CPU/GPU structure of the system to operatively provide the method of claim 8).

36. Regarding claim 41, it is similar in scope to claim 23 (the rationale disclosed in the rejection of claim 23 incorporated herein). Furthermore, claim 41 has the additional limitations of a system which include: **A computer system configured for creating an image, the computer system comprising: a central processing unit (CPU); a graphics processing unit (GPU) communicatively coupled to the CPU; and a memory communicatively coupled to the CPU and/or the GPU having, the memory storing computer executable instructions executable by the CPU and/or the GPU to configure the CPU and GPU.** Boudier teaches of providing a computer-readable medium with executable instructions within a computer system [0038] -

Art Unit: 2629

Computer system 500 also includes a main memory 508, preferably random access memory (RAM), and may also include a secondary memory 510. The secondary memory 510 may include, for example, a hard disk drive 512 and/or a removable storage drive 514, representing a magnetic tape drive, an optical disk drive, etc. The removable storage drive 514 reads from and/or writes to a removable storage unit 518 in a well known manner. Removable storage unit 518 represents a magnetic tape, optical disk, etc. As will be appreciated, the removable storage unit 518 includes a computer usable storage medium having stored therein computer software and/or data.). Nash is analogous art that further teaches of wherein the node(s) are program(s) ([Fig. 3] and [0054]; furthermore [Fig. 6] shows phase modules (nodes) of processing and each node comprises a specific program code to conduct the function within said node in a sequence) and wherein executing the modules yields a rendered image ([0060], [0061] and [0062] which show creating an image and Daird was incorporated in to claim 8 to teach the combination of hardware **a central processing unit (CPU)** ([Fig. 1, (102)]); **a graphics processing unit (GPU) communicatively coupled to the CPU** ([Fig. 1, (114a-b)]); **and a memory communicatively coupled to the CPU and/or the GPU having** ([Fig. 1, (116a)] and see [0028] thru [0030] for explicit architecture)). The combination of Boudier, Nash, and Daird expressly teach the system with components wherein **the memory storing computer executable instructions executable by the CPU and/or the GPU to configure the CPU and GPU** (See all rationale of claim 23, incorporated herein to teach the memory, executable instructions and CPU/GPU structure of the system to operatively provide the method of claim 23).

37. Regarding claim 42, it is similar in scope to claim 31 (the rationale disclosed in the rejection of claim 31 incorporated herein). Furthermore, claim 42 has the additional limitations of a system which include: **A computer system configured for creating an image, the computer system comprising: a central processing unit (CPU); a graphics processing unit (GPU) communicatively coupled to the CPU; and a memory communicatively coupled to the CPU and/or the GPU having, the memory storing computer executable instructions executable by the CPU and/or the GPU to configure the CPU and GPU.** Boudier teaches of providing a computer-readable medium with executable instructions within a computer system [0038] - *Computer system 500 also includes a main memory 508, preferably random access memory (RAM), and may also include a secondary memory 510. The secondary memory 510 may include, for example, a hard disk drive 512 and/or a removable storage drive 514, representing a magnetic tape drive, an optical disk drive, etc. The removable storage drive 514 reads from and/or writes to a removable storage unit 518 in a well known manner. Removable storage unit 518 represents a magnetic tape, optical disk, etc. As will be appreciated, the removable storage unit 518 includes a computer usable storage medium having stored therein computer software and/or data.*). Nash is analogous art that further teaches of wherein the node(s) are program(s) ([Fig. 3] and [0054]; furthermore [Fig. 6] shows phase modules (nodes) of processing and each node comprises a specific program code to conduct the function within said node in a sequence) and wherein executing the modules yields a rendered image

Art Unit: 2629

([0060], [0061] and [0062] which show creating an image and Daird was incorporated in to claim 8 to teach the combination of hardware **a central processing unit (CPU)** ([Fig. 1, (102)]); **a graphics processing unit (GPU) communicatively coupled to the CPU** ([Fig. 1, (114a-b)]); **and a memory communicatively coupled to the CPU and/or the GPU having** ([Fig. 1, (116a)] and see [0028] thru [0030] for explicit architecture)). The combination of Boudier, Nash, and Daird expressly teach the system with components wherein **the memory storing computer executable instructions executable by the CPU and/or the GPU to configure the CPU and GPU** (See all rationale of claim 31, incorporated herein to teach the memory, executable instructions and CPU/GPU structure of the system to operatively provide the method of claim 31).

Response to Arguments

[Rejections under 35 USC 103(a)]

1. Applicant's arguments filed 3/1/2010 have been fully considered but they are not persuasive.
2. Applicant's arguments with respect to claims 8, 31, and 40-43 have been considered but are moot in view of the new ground(s) of rejection.

Claim 8

3. Applicant's arguments in summary (Remarks, Pages 11-13) regarding independent claim 8 recite that the prior cited fails to disclose the claimed graph

Art Unit: 2629

because of fundamental differences between the prior art and the language of said independent claim 8.

4. The Examiner respectfully disagrees. Independent claim 8 includes claim language that is directed to a method of rendering an image. The rendering is conducted only after a process is developed to render the image in an optimized fashion. The rendering of the image is conducted on a GPU and the optimization and the compilation is conducted while running software on a CPU. Claim 8 specifically recites in part: "A method of creating an image, said image represented by an image graph, said image graph comprising one or more GPU programs, inputs to those programs and outputs from those programs, the method comprising the steps of: optimizing said image graph by running software on a CPU; compiling said image graph by running software on said CPU; and rendering said image graph by running said compiled image graph on a GPU, yielding a rendered image". The applicant appears direct the arguments to an ineligibility to combine references. The prior art established which teaches each and every limitation of independent claim 8 is in fact analogous art. It has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, Boudier teaches expressly of optimization of scene graphs, Nash teaches of modules that are programs which are loaded in a particular order in order to maximize efficiency of processing, and applicant completely misses the teachings of

Art Unit: 2629

Diard. In response to applicant's argument that there is no teaching, suggestion, or motivation to combine the references, the examiner recognizes that obviousness may be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988), *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992), and *KSR International Co. v. Teleflex, Inc.*, 550 U.S. 398, 82 USPQ2d 1385 (2007). In this case, it would have been obvious to one of ordinary skill in the art at the time of the invention to include wherein the nodes of Boudier are modules indicating a function that needs to be processed and wherein the execution of the modules renders an image in Boudier, as doing so would provide the means for effectively optimizing the calculations of the attributes to a specific image instead of only optimizing the steps of applying the attributes, reducing overall system calculations and increases system efficiency and bandwidth.

Furthermore, the Examiner respectfully notes that it should be known by the applicant that claims are only to be given the broadest reasonable interpretation. In light of the most broad and reasonable interpretation, claim construction includes 2 parts. The first part is a preamble which primarily provides antecedent basis for components being claimed in the body (the second part). The second part (as just mentioned) is the body of the claim wherein the claim language is given patentable weight. Only in rare circumstances does the pre-amble obtain patentable weight. Within the instant

Art Unit: 2629

application the preamble has been considered to be "A method of creating an image, said image represented by an image graph, said image graph comprising", and the body of the claim has been considered as " one or more GPU programs, inputs to those programs and outputs from those programs, the method comprising the steps of: optimizing said image graph by running software on a CPU; compiling said image graph by running software on said CPU; and rendering said image graph by running said compiled image graph on a GPU, yielding a rendered image". Independent claim 8 does not include a substantial amount of claim language which extremely limits the amount of detail to assist the focus of the claim wherein it cannot be read on by any other art. The method only includes the elements of one or more GPU programs, an input and output each program with a set of steps that include optimizing, compiling, and rendering an image graph on components such as a CPU or a GPU depending on the step. Elements such as GPU programs, GPUs, CPUs, and the steps of optimizing, compiling, and rendering are all extremely well known in the art.

Applicant has provided small interpretations of prior art but applicant has only focused on small portions that actually have not much effect on the invention of the prior art being described. For example, Boudier is described in a short paragraph that summaries building a scene graph but applicant has not mentioned the use or how the scene graph, instead only mentioned the nodes. Nodes are only a very small portion of the general workings of any scene graph which is equivalent to the applicant claimed image graph. The components and steps, even when claimed together, fail to be

Art Unit: 2629

specific enough to eliminate multiple interpretations to ones skilled in the art at the time of the invention and therefore will be given the broadest most reasonable interpretation.

Boudier is specifically a method of constructing an image graph (scene graph) which is optimized by software that is run on a CPU. The image graph includes nodes to only give the elemental steps of a computational input for whatever is within the image or scene (much like applicants Fig. 4). Applicant argues that Boudier doesn't have anything to do with programs and inputs/outputs to programs, however Boudier was not disclosed for programs. Boudier was only disclosed for the construction of the scene graph and its optimization wherein the nodes are actually computational modules (nodes) that effect the construction. Boudier also compiles the nodes into the scene graph once it is optimized. Nash includes using only the modules needed for scene construction. The elementary example is disclosed in the office action above, which to further reiterate, Fig 6 shows how a set of modules would be linked to form the ending output. As stated above, it would have been obvious to substitute the nodes with the modules since the modules of Nash are set in a sequential order just as a tree structure is. Nash considers these modules to be programs wherein a rendered image is produced from them. Nash, however uses a micro processor to do so, because the programs themselves need to be executed to draw image (essentially executing the scene graph), which is exactly the same as the instant application. Therefore the only difference between the combination of Boudier and Nash is that the compilation or ending program is executable as a GPU program on a GPU rather than on the CPU or micro processor. It is expressly taught by Diard that executable programs are performed

Art Unit: 2629

to render the image. Diard specifically discloses in [0033] and [0034] that the CPU writes the command stream including the rendering commands for each of the GPUs, which then are used to perform the rendering (also mentioned in [0034]). Therefore the combination to of Boudier and Nash to produce the compiled image graph would then be executable on the GPU of Diard which expressly teaches each and every limitation of claim 8.

Considering each and every limitation of independent claim 8 has been taught solely or in combination with disclosures within the prior art of Boudier, Nash, and Diard, the rejection of claim 8 is therefore maintained.

5. Claims 9-22 are either directly or indirectly dependent from independent claim 8, therefore the rejections of claims 9-22 are at least maintained for the deficiencies incorporated by the claim upon which it depends.

Claim 23

6. Applicant's arguments in summary (Remarks, Pages 10-11) regarding independent claim 23 recite that the prior cited fails to disclose each and every limitation of said claim 23. Applicant further recites in part: "Boudier is perfectly silent as to any kind of relationship between a program and other programs".

The Examiner respectfully disagrees. The applicant arguments include the same subject matter as the above arguments with respect to independent claim 8 (e.g. applicants arguments recited for independent claim 8: Boudier does not have anything

Art Unit: 2629

to do with programs and inputs/outputs to programs). Therefore, as the remarks are similar in scope for independent claim 23 as they are for independent claim 8 (also directed to similar subject matter), the rejection of independent claim 23 is maintained for the same rationale as listed above for independent claim 8.

7. Claims 24-30 are either directly or indirectly dependent from independent claim 23, therefore the rejections of claims 24-30 are at least maintained for the deficiencies incorporated by the claim upon which it depends.

Claim 31

8. Applicant's arguments in summary (Remarks, Pages 11-12) regarding independent claim 31 recite that the prior cited fails to disclose each and every limitation of said claim 31 because it is similar in scope to independent claim 8 and should be allowable under the same rationale.

The Examiner respectfully disagrees. The rejection of independent 8 has been maintained; therefore the rejection of independent claim 31 is also maintained for the same rationale as listed above for independent claim 8.

Claim 39

9. Applicant's arguments in summary (Remarks, Page 12) regarding independent claim 39 recite that the prior cited fails to disclose each and every limitation of said claim

Art Unit: 2629

39 because it is similar in scope to each of the embodiments of independent claims 8, 23, and 31 and should be allowable under the same rationale.

The Examiner respectfully disagrees. The rejection of independents 8, 23, and 31 have been maintained, therefore the rejection of independent claim 39 is also maintained for the same rationale as listed above for each of said independent claims 8, 23, and 31.

[New Claims 40-42]

10. Applicant's arguments with respect to claims 8, 31, and 40-43 have been considered but are moot in view of the new ground(s) of rejection.

Considering that each and every limitation has been taught or suggested either solely or in combination by prior art of record, the rejection above the examiner respectfully points out how applicant is ineligible for an allowance at this time.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AARON M. GUERTIN whose telephone number is (571)270-1547. The examiner can normally be reached on M-F 8:30AM-5PM.

Art Unit: 2629

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amare Mengistu can be reached on 571-272-7674. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/A. M. G./
Examiner, Art Unit 2629

/Amare Mengistu/
Supervisory Patent Examiner, Art Unit 2629